



Dr Rafat Shamim.

Brief Biodata:

Dr Rafat Shamim did his graduation from GSVM Medical college, Kanpur and MD in Anaesthesia from SGPGIMS, Lucknow in 2014. Later he did PDCC in Organtransplant anaesthesia from SGPGIMS, Lucknow in 2015. He completed his senior residency from SGPGIMS, Lucknow. Later worked as Assistant Professor Anaesthesiology in ILBS, New Delhi (Aug 2017-Jun 2018). Joined this institute as Assistant Professor Anaesthesiology on 26th June 2018.

Publications in last 5 years:

Original articles (with citations):

1-Haldar R, Kannaujia AK, **Shamim R**, Dongare P, Mondal H, Agarwal A. A national survey evaluating the effect of COVID-19 pandemic on the teaching and training of anaesthesiology postgraduate students in India. *Indian J Anaesth* 2020;64:227-34.

2-Mohammad, H.; Gautam, S.; Agarwal, A.; Kausar, S.; Kaushal, A.; **Shamim, R.** Evaluation of Three Concentrations of Epidural Bupivacaine for Postoperative Pain Relief: A Prospective Observational Study *Cent. Eur. Ann. Clin. Res.* **2020**, 2(1)

3-Amit Srivastava, RenuBala, Anoop K. Srivastava, Anuj Mishra, **Rafat Shamim**, Prasenjit Sinha, Anxiety, obsession and fear from coronavirus in Indian population: a web based study using COVID-19 specific

scales".InternationalJournal Of Community Medicine And Public Health.XXX2020

4-**Shamim R**, Srivastava S, Rastogi A, Kishore K, Srivastava A. Effect of two different doses of dexmedetomidine on stress response in laparoscopic pyeloplasty: A randomized prospective controlled study. *Anesth Essays Res* 2017;11:1030-4[9]

5-Verma R, Agarwal A, Singh PK,Gupta D, **Shamim R**. Evaluation of efficacy of amikacin for attenuation of catheter-related bladder discomfort in patients undergoing percutaneous nephrolithotomy: A prospective, randomized, placebo-controlled, double-blind study. *AnesthEssays Res* 2016;10:613-7.[2]

Case Reports (with citations):

2018

1-Garg N, Sindwani G, SuriA, **Shamim R**, Pandey C K. Flexible Gastroendoscope as a rescue device for an anaesthetist. *Journal of clinical anaesthesia*.2018;45,73-74.

2017

2-Patro A, Priya V, **Shamim R**, Singh PK. Use of malfunctioning fibre-optic bronchoscope as a rescue bougie!*Indian J Anaesth* 2017;61:277-8.

3-Rameez R, **Rafat S**, Vansh P, Kumar SP. Calibrated polyvinyl chloride tube of urine bag in urine output measurement of neonates. *Indian J Anaesth*2017;61:80-1[1]

4- **Shamim R**, Sandeep S, Siddiqui T, Agarwal S. Antithymocyte globulin-induced refractory hypotension in renal transplantation recipient. *J Anaesthesiol Clin Pharmacol*2017;33:422-3.[1]

5-**Shamim R**, Haldar R, Kaushal A. Ultrasoundguided probe-generated artifacts stimulating ventricular tachycardia: A rare phenomenon. *Saudi J Anaesth*2017;11:93-5

6-Kumar S, Kaushal A, **Shamim R**. Delayed tracheal perforation, a rare but dreaded complication of thyroidectomy. *Saudi J Anaesth*. 2017,11:351-2.

2016

7-**Shamim R**, Riaz R, Patro A, Priya V. Use of surgical tapes for eye protection: Aneye opener. *Anesth Essays Res* 2016;10:687-9.

8-**Shamim R**, Kaushal A, Haldar R. Unconventional Method of Repairing the Inflation Line of Ambu Laryngeal Mask Airway. Turkish Journal of Anaesthesiology and Reanimation. 2016;44(6):320-321.

9-Riaz R, **Shamim R**, Priya V, Patro A, Singh PK. A 'Y'- shaped connector as an indispensable component of paediatric bronchoscopy mask: A novel innovation!. Indian J Anaesth 2016;60:784-5.

10-Riaz R, Khuba S, **Shamim R**, Patro A. Ultrasonographic optic nerve sheath diameter measurement in overweight parturient with intracranial tumour: Guiding

choice of anaesthesia. Indian J Anaesth 2016;60:775-7[2]

11-Agarwal S, **Shamim R**, Sandeep S. Indigenous made transducer fixation device for invasive haemodynamic monitoring for renal transplantation, Indian J Transpl. 2016

12-Khandelwal A, **Shamim R**, Supriya. Low- osmolality contrast agents - A risk for myasthenics. Neurol India 2016;64:558-9.[3]

2015

13-Kaushal A, Kannaujia AK, **Shamim R**, Haldar R. A safer method for providing interpleural analgesia: Employing the Raulerson syringe. Indian JPain. 2015;29:187-8.

14 -**Shamim R**, Kaushal A, Haldar R. Lost cap of ProSeal™ LMA vent has some substitutes. Anaesth Pain & Intensive Care 2015; 19(4):541